

REPEALED BY BY-LAW NO. 106/2018
DECEMBER 13, 2018

CONSOLIDATION UPDATE: MARCH 22, 2018

CITY OF WINNIPEG

SEWER BY-LAW
NO. 92/2010

TABLE OF CONTENTS

Part 1 Introduction

Short title	section 1
Definitions and interpretation	section 2

Part 2 Authority

Inspecting and enforcing the By-law	section 3
Authority to control flooding	section 4
Emergency entries allowed	section 5

Part 3 General

Monitoring requirements	section 6
Sampling and analytical requirements	section 7
Record search	section 8
Permits, licences and authorizations	section 9
Suspending and cancelling a permit, licence or authorization	section 10
Emergency suspensions of a permit, licence or authorization	section 11
Cost of complying with this By-law	section 12
Responsibility for complying with this By-law	section 13
Dilution prohibited	section 14
Restrictions on withdrawing wastewater	section 15
Restrictions on withdrawing land drainage	section 16
Fees, rates, charges, and deposits	section 17
Payment locations	section 18

Part 4 Sewer Contractor's Licence Requirements

Sewer Contractor's Licence required	section 19
Licence requirements	section 20

Part 5 Construction Requirements

Authorization and Service Permit required to install or reuse private sewer service pipe or private land drainage system	section 21
Complying with construction standards required	section 22
Inspection required before backfilling	section 23
Requirements for abandoning or reusing private sewer service pipes when buildings are demolished or moved	section 24
Requirements for blocking unused private sewer service pipes	section 25
Requirements for reusing private sewer service pipes	section 26

Part 6 Connection Requirements

Responsibility for complying with this Part	section 27
All properties to be connected to wastewater sewer	section 28
Requirements for non-conforming private sewer service pipes	section 29
Temporary above-ground wastewater connections permitted	section 30
Property to be connected to land drainage sewer or combined sewer	section 31
Temporary above-ground land drainage connections permitted	section 32
Property previously served by on-site wastewater management system	section 33
Requirement to abandon a non-conforming private sewer service pipe and connect to the wastewater system	section 34
Connection charge	section 35
Owner responsible for private sewer service pipe	section 36
Repair and replacement of pipe under street	section 37
Interconnection of wastewater and land drainage private sewer service pipes prohibited	section 38

Part 7 Discharges of Wastewater

Responsibility for complying with this Part	section 39
Wastewater must be discharged to wastewater system	section 40
Wastewater discharges to wastewater system restricted	section 41
Wastewater Discharge Licence required	section 42
Discharge rate limits	section 43
Overstrength Discharge Licence required	section 44
Surcharges for select overstrength wastewater substances	section 45
Grease interceptors required	section 46
Oil interceptors required	section 47
Sediment interceptors required	section 48
Oil, grease or sediment interceptor design specifications	section 49
Oil, grease and sediment interceptor maintenance specifications	section 50
Dental waste amalgam separator required	section 51
Food waste grinder discharge restrictions	section 52
Swimming pool water discharge restrictions	section 53

Part 8 Discharges of Land Drainage

Responsibility for complying with this Part	section 54
Land drainage must be discharged to land drainage system	section 55
Land drainage discharges to land drainage system restricted	section 56
Land Drainage Discharge Licence required	section 57
Downspout Discharge Licence required	section 58
Sump Pump Discharge Licence required	section 59
Discharge rate limits	section 60
Overland discharge authorization required	section 61
Catch basin maintenance required	section 62

Part 9 Spills

Obligation to notify the City	section 63
Containing and cleaning up the spill	section 64
Preparing and submitting a written report	section 65

Part 10 Hauled Wastewater

No discharge except at designated sites	section 66
Wastewater Hauler's Licence required	section 67
Wastewater Disposal Vehicle Licence required	section 68
Responsibilities of wastewater haulers	section 69
Responsibility of generators of hauled wastewater	section 70
Non-household hauled wastewater disposal fee	section 71

Part 11 Pollution Prevention Planning

Definitions	section 72
Scope of this Part	section 73
Plan required	section 74
Form and content of Plan	section 75
Requirements if Plan is rejected	section 76
Notice of change in information required	section 77
Renewing the Plan	section 78
Spills and other contraventions	section 79
Regular submission of progress updates	section 80
Requirements if progress update does not contain adequate information	section 81
Consequences if business does not achieve progress	section 82
Storage of Plans and progress updates	section 83
Termination of obligation to engage in pollution prevention planning	section 84
Consequences of violating this Part	section 85
Enforcement actions against businesses governed by this Part	section 86

Part 12 Sewer Charges

Sewer charge imposed	section 87
Adjustment of sewer charges	section 88
Large volume sewer credit program	section 89
City meters	section 90
Private meters	section 91
Collection of outstanding sewer charges	section 92

Part 13 Administration, Enforcement and Other Provisions

Compliance orders	section 93
Service address	section 94
Obstructing work prohibited	section 95
Damage to and obstruction of sewer prohibited	section 96
Penalties for violating By-law	section 97
Appeals	section 98
Director's powers – flooding prevention	section 99

Part 14 Repeals and Coming Into Force

Sewer By-law No. 7070/97 repealed	section 100
Schedules	section 101
Coming into force	section 102

Schedule A Substances Prohibited in Discharges to Wastewater System

Schedule B Concentration Limits for Discharges into the Wastewater System

Schedule C Substances Prohibited in Discharges to the Land Drainage System

Schedule D Limits for Discharges to Land Drainage System

Schedule E Business Sectors Required to Prepare Pollution Prevention Plans Under Part 11

This document is an office consolidation of by-law amendments which has been prepared for the convenience of the user. The City of Winnipeg expressly disclaims any responsibility for errors or omissions.

CONSOLIDATION UPDATE: MARCH 22, 2018

THE CITY OF WINNIPEG

SEWER BY-LAW
NO. 92/2010

A By-law of THE CITY OF WINNIPEG to regulate the use of the City of Winnipeg's wastewater system and land drainage system

THE CITY OF WINNIPEG, in Council assembled, enacts as follows, namely:

PART 1
INTRODUCTION

Short Title

1 This By-law may be cited as the "**Sewer By-law**".

Definitions and interpretation

2(1) In this By-law:

"American Public Health Association" or **"APHA"** means the American Public Health Association founded in 1872, or any successor association.

"American Water Works Association" or **"AWWA"** means the American Water Works Association founded in 1881, or any successor association.

"biochemical oxygen demand" or **"BOD"** means the quantity of oxygen used in the biochemical oxidation of organic matter under standard laboratory conditions for five days at a temperature of 20 degrees Celsius.

"biosolids" means the digested and dewatered residual solid material resulting from the treatment of municipal sewage at a wastewater treatment facility.

"blowdown water" means recirculated water discharged from a cooling or heating water system to:

- (a) control the level of water in the system; or
- (b) discharge materials from the system which might otherwise build up and harm the operation of the system.

"Canadian Standards Association" or **"CSA"** means the Canadian Standards Association founded in 1919, or any successor association.

"catch basin" means an inlet to the land drainage system or the combined sewer system that is designed to capture sediment, debris and associated pollutants from incoming land drainage. A catch basin includes a sump, and may include a grate or curb inlet.

"City" means the municipal corporation of the City of Winnipeg.

"city" means land within the boundaries of the City of Winnipeg.

"combined sewer" means a common sewer that is designed to accept both wastewater and land drainage. It forms part of the wastewater system.

"combustible gas meter" means an instrument capable of determining the percentage of the lower explosive limit for a combustible gas or vapour in air.

"common sewer" means a wastewater sewer or combined sewer that:

- (a) is designed to collect wastewater directly from private sewer service pipes; and
- (b) is not an interceptor sewer.

"connecting" in the context of a property, means installing a private sewer service pipe to discharge wastewater or land drainage from a property into the wastewater sewer or land drainage sewer.

"cooling water" means water that is used to reduce temperature in an enclosed system.

"Department" means the Water and Waste Department.

"designated employee" means the Director of the Water and Waste Department and any employee of the City of Winnipeg who has been authorized by the Director to administer and enforce all or part of this By-law.

"Director" means the Director of the Water and Waste Department.

"Downspout Discharge Licence" means a licence issued under Part 8 of this By-law allowing drainage from a downspout to be discharged to a wastewater sewer.

"explosive" means a substance that is listed under Class 1 of *The Transportation of Dangerous Goods Act* (Canada).

"flammable liquid" has the same meaning as in regulations under *The Dangerous Goods Handling and Transportation Act* (Manitoba).

"flammable solid" has the same meaning as in regulations under *The Dangerous Goods Handling and Transportation Act* (Manitoba).

"food service establishment" means any place, other than a housing unit, where food is manufactured or prepared. Food service establishments include bakeries, restaurants, catering operations, retail food stores, hotels, commissaries, canteens, and temporary food service operations.

"gas (Class 2)" has the same meaning as in regulations under *The Dangerous Goods Handling and Transportation Act* (Manitoba).

"generator" means the person responsible for the generation of land drainage or wastewater and includes the owner and the occupant of property from which land drainage or wastewater enters the wastewater system or land drainage system.

"greywater" means untreated, used household water that does not contain human waste and does not come from a toilet or urinal. It includes water from:

- (a) appliances, such as dishwashers or washing machines; and
- (b) plumbing fixtures such as sinks, bathtubs and showers.

"groundwater" means water beneath the earth's surface that has accumulated through seepage.

"hailed wastewater" means wastewater transported by vehicle.

"hazardous waste" has the same meaning as in *The Dangerous Goods Handling and Transportation Act* (Manitoba).

"heating water" means water used to increase temperature in an enclosed system.

"housing unit" means a residence, with cooking facilities, designed for an individual or a family. It includes single-family homes, duplexes, apartments, condominiums, but not hotels, hostels, or residential care facilities.

"infectious or toxic" has the same meaning as in *The Dangerous Goods Handling and Transportation Act* (Manitoba).

"interceptor" means a receptacle or trap installed to intercept and separate specific material and prevent it from passing into a land drainage system or a wastewater system.

"interceptor sewer" means a sewer:

- (a) designed to carry wastewater from common sewers to a wastewater treatment plant and not to collect wastewater from private sewer service pipes; and
- (b) that has been designated as such by the Director.

"land drainage" means water that has not been mixed with wastewater, including:

- (a) surface water, including rainwater and snowmelt; and
- (b) groundwater, including water from weeping tiles and well water.

"Land Drainage Discharge Licence" means a licence issued under Part 8 of this By-law that allows the discharge of land drainage into a wastewater sewer.

"land drainage sewer" means a sewer that carries only land drainage.

"land drainage system" means all City works and processes for collecting, controlling, carrying and disposing of land drainage, including ditches, swales, land drainage sewers, street gratings, catch basins, manholes, stormwater retention basins, pump stations, control weirs, gates, and associated works and overflow structures. It does not include private sewer service pipes.

"landfill leachate" means the liquid containing dissolved or suspended contaminants produced by solid waste or by water passing through solid waste.

"lower explosive limit" means the lowest concentration of vapour or gas in air that will explode or burn when ignited.

"natural oil and grease" means fats, waxes or oils from animal or vegetable sources.

"non-conforming private sewer service pipe" means a private sewer service pipe not connected to an adjacent common sewer.

"nonylphenols" means the total of nonylphenols and t-octylphenol as analyzed by liquid chromatography-mass spectrometry (LC-MS).

"nonylphenol ethoxylates" means the total of nonylphenol ethoxylates, as analyzed by liquid chromatography-mass spectrometry (LC-MS), including nonylphenol diethoxylates, nonylphenol monoethoxylates, nonylphenol triethoxylate, t-octylphenol diethoxylate, t-octylphenol monoethoxylate, and t-octylphenol triethoxylate.

"on-site wastewater management system" has the same meaning as in the *On-site Wastewater Management System Regulation*, Manitoba Regulation 83/2003.

"overstrength wastewater" means wastewater which contains substances with concentrations that exceed the limits set out in Schedule B.

"Overstrength Discharge Licence" means a licence issued under Part 7 of this By-law that permits the discharge of overstrength wastewater.

"owner", unless otherwise stated, means an owner of real property as defined in *The City of Winnipeg Charter*.

"oxidizing substance and organic peroxide" has the same meaning as in regulations under *The Dangerous Goods Handling and Transportation Act* (Manitoba).

"person" means an individual, firm, partnership, association or other body, whether incorporated or unincorporated.

"pesticide" means a product registered under the *Pest Control Products Act* (Canada).

"phenolics" means the total of all phenolic compounds as determined by the 4-aminoantipyrine method (4AAP method).

"private land drainage system" means works or processes for collecting, controlling, carrying or disposing of land drainage that are not owned or operated by the City.

"private sewer service pipe" means a pipe, or system of pipes, and related components which carries wastewater or land drainage underground from its source on private property to the wastewater system or the land drainage system. It includes a non-conforming private sewer service pipe.

"property" means all or part of real property identified on a street address.

"quarter" means a period of three consecutive months.

"radioactive material" means a substance listed under Class 7 in the *Transportation of Dangerous Goods Act (Canada)*.

"regular working hours" means Monday to Friday, 8:30 a.m. to 4:30 p.m., except holidays that are recognized in the current collective agreement between the City and the Canadian Union of Public Employees.

"residential", in relation to land, means properties on which single-family, two-family and multiple-family dwellings are located, except where otherwise specified.

"Service Permit" means a permit issued under section 21.

"sewage" means liquid wastes from residential, industrial, commercial, or institutional sources.

"sewer" means a pipe that:

- (a) accepts wastewater or land drainage or both; and
- (b) is part of either the wastewater system or the land drainage system.

It does not include a private sewer service pipe.

"Sewer Contractor's Licence" means a licence issued by a designated employee under Part 4 of this By-law that authorizes a contractor to work on a private sewer service pipe, the wastewater system, or the land drainage system.

"sewer rate" means the price per cubic metre established by City Council used to calculate the sewer charge.

"single-family or two-family property" means a property on which a single-family or two-family dwelling is located, but not a property on which a multiple-family dwelling is located.

"spill" means an accidental, abnormal or inadvertent discharge that:

- (a) violates this By-law; and
- (b) has entered or could enter the wastewater or land drainage systems.

"Standard Construction Specifications" means the current edition of the *City of Winnipeg Standard Construction Specifications* posted on the City's web site.

"Standard Methods for the Examination of Water and Wastewater" means the current edition of *Standard Methods for the Examination of Water and Wastewater* as published jointly by the American Public Health Association, the American Water Works Association, and the Water Environment Federation.

"street" has the same meaning as in *The City of Winnipeg Charter* and includes roadways, sidewalks, ditches, and boulevards.

"Sump Pump Discharge Licence" means a licence issued under Part 8 of this By-law allowing the sump pit water to be discharged to a wastewater sewer.

"swimming pool water" means water from swimming pools, wading pools, hot tubs, or spas.

"synthetic or petroleum oil and grease" means fats, waxes or oils that are not natural oil or grease.

"total nitrogen" means the sum of ammonia, nitrite, nitrate, and organic nitrogen.

"total polycyclic aromatic hydrocarbons" means the total of acenaphthene, acenaphthylene, acenaphthylene, acridine, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(b&j)fluoranthene, benzo(ghi)perylene, benzo(k)fluoranthene, chrysene, dibenzo(ah)anthracene, fluoranthene, fluorene, indeno(1,2,3 cd)pyrene, 1-methyl naphthalene, 2- methyl naphthalene, naphthalene, phenanthrene, pyrene and quinoline.

amended 117/2010

"total phosphorus" means the sum of all forms of phosphorus in a substance.

"total polychlorinated biphenyls" means the sum of all chlorobiphenyls that have more than two chlorine atoms. Total polychlorinated biphenyls are reported as Aroclor types.

"total purgeable hydrocarbons" means the sum of all volatile hydrocarbon compounds with carbon numbers up to C10 in a substance, and includes volatile aromatics.

"total semivolatile hydrocarbons" means the sum of all hydrocarbons with a carbon number from C11 to C20 in a substance.

"total suspended solids" or **"TSS"** means the total amount of solids per litre in wastewater retained by a filter.

"wastewater" means a mixture of water and water-carried waste. It includes:

- (a) sewage;
- (b) greywater;
- (c) swimming pool water;
- (d) heating water;
- (e) cooling water;
- (f) land drainage that contains any of the substances set out in Schedule C or contains substances with concentrations that exceed the limits set out in Schedule D; and
- (g) any water that has come into contact with sewage, greywater, swimming pool water, heating water, or cooling water.

"Wastewater Discharge Licence" means a licence issued under Part 7 of this By-law that permits the discharge of wastewater into the land drainage system.

"Wastewater Disposal Vehicle Licence" means a licence issued under Part 10 of this By-law for a vehicle used to discharge hauled wastewater.

"wastewater sewer" means a sewer that carries only wastewater. It includes a common sewer and an interceptor sewer.

"wastewater system" means all City works and processes for collecting, storing, carrying, pumping, treating or disposing of wastewater. It does not include private sewer service pipes.

"Water and Waste Department" means the department of the City responsible for collecting and treating wastewater and managing land drainage.

"Water Environment Federation" or **"WEF"** means the Water Environment Federation headquartered in Alexandria, Virginia, or any successor organization.

"waterway" means a body of water located on public property, and includes:

- (a) a river, stream, creek, canal, ditch, swale, water channel, pond or stormwater retention basin, whether natural, constructed or altered; and
- (b) the frozen surface or bed of a river, stream, creek, canal, ditch, swale, water channel, pond or stormwater retention basin.

"weeping tiles" means a system for collecting or carrying groundwater around a building.

"well water discharge rate" means the price per cubic metre established by City Council, if any, that is used to calculate the sewer charge for water not supplied by the City being discharged to the land drainage system.

added 156/2011; amended 139/2013

"work" includes the act of:

- (a) installing, abandoning, altering, enlarging, repairing or renewing all or part of a private sewer service pipe, the wastewater system or the land drainage system; or
- (b) connecting a private sewer service pipe to the wastewater system or land drainage system.

2(2) For the purposes of the definitions set out in section 2, quantities of substances are determined in accordance with tests and expressed in units of measurement set out in *Standard Methods for the Examination of Water and Wastewater*.

PART 2 AUTHORITY

Inspecting and enforcing the By-law

3(1) Designated employees may conduct inspections, administer and enforce this By-law, or remedy a violation of this By-law. For these purposes, they have the powers of a designated employee under *The City of Winnipeg Charter*.

3(2) The powers given to designated employees in subsection (1) include the authority, after giving reasonable notice, to:

- (a) enter upon private property at any reasonable time;
- (b) inspect meters provided by the City of Winnipeg or private meters installed under sections 88, 90 and 91; and
- (c) collect and analyze samples of:
 - i) wastewater;
 - ii) land drainage; or
 - iii) matter being discharged, or capable of being discharged, into

the wastewater system or land drainage system.

3(3) The powers given to designated employees in subsection (1) include the power to prevent or stop a vehicle from discharging hauled wastewater into a discharge point if there are reasonable grounds to believe that the discharge will violate or is violating the By-law, including conditions placed on a Wastewater Disposal Vehicle Licence.

Authority to control flooding

4 Despite any other provision of this By-law, a designated employee may allow or cause wastewater or land drainage to flow into a waterway in order to control flooding.

Emergency entries allowed

5 In an emergency that affects human health or safety, property, or the environment, a designated employee may enter a property without notice to:

- (a) inspect, block, maintain or remove any sewer, or anything connected to it;
- (b) construct, repair or enlarge dikes;
- (c) take other actions to meet the emergency and to eliminate or reduce its effects.

PART 3 GENERAL

Monitoring requirements

6 Where an access point is necessary to observe, sample or measure wastewater, at the direction of a designated employee, the owner or occupant of a property must:

- (a) construct or install a suitable access point, following plans and specifications approved by the designated employee; and
- (b) maintain the access point in a safe condition and ensure that it is accessible to a designated employee at all reasonable times.

Sampling and analytical requirements

7(1) All measurements, tests and analyses required or authorized under this By-law must follow the *Standard Methods for the Examination of Water and Wastewater*.

7(2) If *Standard Methods for the Examination of Water and Wastewater* does not contain an appropriate test or analysis, a designated employee is authorized to determine one.

7(3) If more than one procedure, test or analysis is set out in *Standard Methods for the Examination of Water and Wastewater*, a designated employee is authorized to determine which one to use.

7(4) Samples must be taken at an access point, or other location determined by a designated employee.

7(5) When making a determination under subsection (2), (3) or (4), the designated employee must take into account:

- (a) cost and practicality; and
- (b) the accuracy of the result.

7(6) In the absence of evidence to the contrary, samples taken from wastewater discharged from a property are presumed to be characteristic of all of the wastewater discharged into the wastewater system from that property.

Record search

8 Subject to The Freedom of Information and Protection of Privacy Act, upon payment of the applicable fee, the property owner or agent is entitled to receive, in respect of a property, account histories and other records which the City has in its possession.

amended 31/2015 (effective April 1, 2015)

8(2) *repealed 31/2015 (entire subsection effective April 1, 2015)*

Permits, licences and authorizations

9(1) When a permit, licence or authorization is required by or under this By-law, a designated employee may issue or renew the permit, licence or authorization if:

- (a) the applicant provides the information required to assess the application;
- (b) the applicant pays the applicable fee for the permit, licence or authorization; and
- (c) the application meets the requirements set out in this By-law.

9(2) A designated employee must not renew a permit, licence or authorization if the applicant's existing permit, licence or authorization:

- (a) is suspended; or

- (b) has been cancelled and the period of time referred to in subsection 10(5) has not expired.

9(3) A designated employee may issue or renew a permit, licence or authorization, with or without conditions, for either an indefinite or a limited period of time.

9(4) If a designated employee imposes conditions on a licence, permit or authorization under subsection (3), the conditions:

- (a) must be related to:
 - i) the criteria for issuing the permit, licence or authorization; or
 - ii) administering or enforcing this By-law; and
- (b) may take into account the previous relevant conduct of the applicant.

9(5) Conditions imposed under clause 9(4)(a) may include the requirement that the holder of the licence, permit or authorization indemnify the City for loss, harm, damage and other consequences that could result from actions taken under the licence, permit or authorization.

9(6) The holder of a permit or authorization must comply with any conditions imposed on the permit, licence or authorization.

9(7) It is a condition of any permit, licence or authorization issued under this By-law that the applicant consent to the entry of a designated employee to the property at any reasonable time, without notice, in order to conduct an inspection or otherwise administer or enforce this By-law.

9(8) Subject to different requirements imposed as a condition of the permit, licence or authorization, the holder of the permit, licence or authorization must, within ten business days, inform a designated employee of any changes to the information submitted in the application, and a failure to do so voids the permit, licence or authorization.

Suspending and cancelling a permit, licence or authorization

10(1) In this section and section 11:

"suspension" means that the permit, licence or authorization is temporarily ineffective for a specified period of time.

"cancellation" means that the permit, licence or authorization no longer exists and the person must reapply for a new permit, licence or authorization in order to legally carry out the activity for which a permit, licence or authorization is required.

10(2) Unless otherwise specified in this By-law or in the licence, permit or authorization, a licence, permit or authorization is automatically:

- (a) suspended if fees associated with the permit, licence or authorization have been outstanding for more than 30 days;
- (b) cancelled if the fees associated with the permit, licence or authorization have been outstanding for more than 60 days.

10(3) A designated employee may suspend or cancel a permit, licence or authorization if:

- (a) the holder of the permit, licence or authorization has failed to comply with this By-law, the Water Works By-law, the Lot Grading By-law, other relevant legislation, or conditions imposed on the licence, permit or authorization;
- (b) the applicant provided false or misleading information in the application that had an effect on the decision to grant the permit, licence or authorization;
- (c) the past conduct of the holder of the permit, licence or authorization creates a reasonable concern that the authorized activity will not comply with this By-law, another by-law, other relevant legislation, or conditions imposed on the licence, permit or authorization; or

- (d) an activity authorized by the permit, licence or authorization poses a risk to human health or safety, property, or the environment.

10(4) Before suspending or cancelling a permit, licence or authorization under subsection (3), the designated employee must:

- (a) notify the holder of the permit, licence or authorization in writing that suspending or cancelling the permit, licence or authorization is being considered;
- (b) provide in writing the reasons why suspending or cancelling the permit, licence or authorization is being considered; and
- (c) give the holder of the permit, licence or authorization a reasonable opportunity to be heard.

10(5) If a designated employee decides to cancel a permit, licence or authorization, he or she must identify a date before which, or a time frame within which, the holder is not permitted to reapply for the permit, licence or authorization.

10(6) A decision concerning the suspension or cancellation of a permit, licence or authorization must be sent to the holder of the permit, licence or authorization in accordance with *The City of Winnipeg Charter* and is subject to appeal to the Standing Policy Committee on Water and Waste, Riverbank Management and the Environment.

amended 113/2015

Emergency suspensions of a permit, licence or authorization

11(1) A designated employee may, without notice and without a hearing, suspend a permit, licence or authorization for up to 30 days if an activity authorized by the permit, licence or authorization poses an immediate and substantial risk to human health or safety, property, or the environment. After imposing an emergency suspension, the designated employee must:

- (a) immediately notify the holder of the permit, licence or authorization:
 - i) of the suspension;
 - ii) of the date the suspension will expire;
 - iii) of the reasons why the designated employee has concluded that the activity authorized by the permit, licence or authorization poses an immediate and substantial risk to human health or safety, property, or the environment; and
 - iv) of the actions that must be taken or circumstances that must exist, if any, that will result in the suspension being lifted before the expiration date;

- (b) lift the suspension as soon as the immediate and substantial risk to human health or safety, property, or the environment no longer exists.

11(2) A designated employee may, without notice and without a hearing, suspend a permit, licence or authorization for up to 30 days if the information submitted in the application was incorrect and, had the correct information been known, the permit, licence or authorization would not have been issued. After imposing an emergency suspension, the designated employee must:

- (a) immediately notify the holder of the permit, licence or authorization:
 - i) of the suspension;
 - ii) of the date the suspension will expire; and
 - iii) of the incorrect information submitted in the application;
- (b) lift the suspension if it was imposed in error.

11(3) Unless it is lifted earlier by the designated employee, an emergency suspension imposed under this section expires 30 days after it has been imposed. However, if the designated employee is considering imposing a suspension or cancellation under section 10 and the holder of the licence, permit or authorization requests that his or her opportunity to be heard be deferred to a date beyond the 30 day period, the designated employee may extend the suspension for up to an additional 60 days to accommodate this request.

Cost of complying with this By-law

12 Wherever an obligation is imposed on a person by this By-law, the cost of complying is the responsibility of that person, and not the City.

Responsibility for complying with this By-law

13(1) Unless an obligation or requirement is imposed on a particular person, the obligations and requirements set out in this By-law apply to every person.

13(2) If there is a requirement placed on a person by this By-law:

- (a) an agent may act on behalf of that person to meet the requirement; but
- (b) the person is responsible to meet the requirement even if an agent is acting on his or her behalf.

13(3) A requirement imposed by this By-law on a generator of wastewater or land drainage, including an owner or occupant of property, includes the obligation not to permit the

requirement to be violated by another person.

Dilution prohibited

14(1) A person must not dilute wastewater or land drainage with water or any other material in order to comply with the discharge limits set out in this By-law unless a designated employee has given written permission for the dilution.

14(2) A designated employee may not grant written permission for wastewater or land drainage to be diluted if the substance being diluted is subject to a surcharge under this By-law or if the diluted discharge is likely to:

- (a) pose a risk of harm to human health or safety, property, or the environment;
- (b) interfere with the operation or maintenance of the wastewater system or the land drainage system;
- (c) damage the wastewater system or the land drainage system;
- (d) prevent the City from meeting limits imposed by the Province of Manitoba or Government of Canada for disposal of liquid to waterways or of biosolids to land.

14(3) Where wastewater or land drainage has been diluted in violation of subsection (1), the owner or occupant of the property from which the diluted wastewater is being discharged is responsible for the contents of the wastewater as if it had not been diluted.

Restrictions on withdrawing wastewater

15(1) A person must not withdraw or use wastewater from the wastewater system without the written permission of a designated employee.

15(2) A designated employee may grant written permission for wastewater to be withdrawn from the wastewater system for legitimate scientific study, if the samples can be taken and used at minimal risk to human health and safety, property, and the environment.

15(3) A designated employee may impose conditions on a permission issued under subsection (1).

Restrictions on withdrawing land drainage

16(1) A person must not use or withdraw land drainage from the land drainage system without the written permission of a designated employee.

16(2) Permission under subsection (1) must not be provided if, in the opinion of the designated employee, the withdrawal:

- (a) poses a risk of harm to human health or safety, property, or the environment; or
- (b) would adversely affect the water level of the land drainage system.

16(3) A designated employee may impose conditions on a permission issued under subsection (1), including a condition that the applicant restore the land drainage system to its original condition after the withdrawal.

Fees, rates, charges, and deposits

17(1) Fees, rates, charges, surcharges, and deposits referred to in this By-law:

- (a) must be established by City Council or by authority delegated by City Council, or calculated in accordance with this By-law;
- (b) are subject to inflationary increases authorized by the Fees and Charges By-law;
- (c) may be set out in the Fees and Charges Manual referred to in the Fees and Charges By-law.

17(2) The Director may determine when invoices and bills are issued.

17(3) Invoices and bills must be paid within 30 days of being issued.

17(4) A late payment charge in the form of interest payable at a rate determined by City Council is imposed on the outstanding balance of a fee, rate or charge that is not paid as required in subsections (1) and (3). The fee is imposed on the outstanding balance, including the amount of the late payment charge, for every 30-day period that a fee, rate or charge is overdue.

Payment locations

18 The Director is authorized to designate locations at which bill payments may be made.

**PART 4
SEWER CONTRACTOR'S LICENCE REQUIREMENTS**

Sewer Contractor's Licence required

19 Only a designated employee or a person holding a valid Sewer Contractor's Licence may work on a private sewer service pipe, the wastewater system, or the land drainage system.

Licence requirements

20(1) A designated employee may issue an initial annual Sewer Contractor's Licence only if an applicant:

- (a) meets the requirements of section 9; and
- (b) demonstrates that he or she can satisfactorily perform the work for which the licence is being issued.

20(2) A designated employee must not issue a Sewer Contractor's Licence unless the applicant agrees, in a written form approved by the City Solicitor, to indemnify the City against any lawsuits or other claims for damages resulting from the work done by the applicant or the applicant's employees or agents on the wastewater system, the land drainage system, or a private sewer service pipe.

20(3) A designated employee must not issue a Sewer Contractor's Licence until the applicant files with the Chief Financial Officer of the City a Certificate of Insurance demonstrating that the licence holder has in place a commercial general liability insurance policy in an amount determined by the Director to be sufficient to address the risk to the City and which includes:

- (a) the City as an additional insured;
- (b) evidence of cross liability;
- (c) contractor's equipment cover;
- (d) products and completed operations cover;
- (e) 15 days notice of cancellation; and
- (f) deductible to be paid by the contractor.

20(4) The Sewer Contractor's Licence is immediately void if the insurance policy required by subsection (3) is not maintained.

PART 5 CONSTRUCTION REQUIREMENTS

Authorization and Service Permit required to install or reuse private sewer service pipe or private land drainage system

21(1) A person must not install a new private sewer service pipe or reuse an existing private sewer service pipe unless the owner has applied for, and a designated employee has authorized, the installation in accordance with section 9.

21(2) A licensed contractor must not do any work on the wastewater system, land drainage system, private land drainage system or a private sewer service pipe unless a Service Permit which authorizes the licensed contractor to carry out the work has been issued in accordance with section 9.

21(3) In deciding whether or not to issue an authorization under subsection (1) or a Service Permit under subsection (2), the designated employee must take into account the impact of the work on the wastewater or land drainage system.

21(4) Where the work being authorized in subsections (1) or (2) could have a significant impact on the wastewater system or land drainage system, as a condition of the authorization or Service Permit, a designated employee may require a property owner to submit a record drawing showing the completed work.

Complying with construction standards required

22(1) A Service Permit holder must ensure that work on the wastewater system, land drainage system, private land drainage system or private sewer service pipe meets the standards set out in the *Standard Construction Specifications*.

22(2) Despite subsection (1), a designated employee may authorize in writing a variation to the *Standard Construction Specifications* if the variation meets the intent of the *Standard Construction Specifications*. Where the designated employee has authorized a variation, the Service Permit holder must comply with the variation.

22(3) As well as complying with subsection (1) or (2), a Service Permit holder doing the work must follow directions and requirements imposed by a designated employee to minimize risks to human health and safety, property, and the environment.

Inspection required before backfilling

23(1) A Service Permit holder must not backfill an excavation unless a designated employee has inspected and approved the work.

23(2) Where an excavation is backfilled prior to an inspection, a designated employee may require the work to be exposed so that the inspection can take place.

23(3) Where a designated employee identifies a deficiency during an inspection, the Service Permit holder must not backfill the excavation until he or she has:

- (a) remedied the deficiency;
- (b) paid any applicable inspection fees; and

- (c) received approval from the designated employee following a reinspection of the work.

Requirements for abandoning or reusing private sewer service pipes when buildings are demolished or moved

24(1) In this section and in section 25:

“demolish” means to remove or destroy the entire building, including its foundation.

24(2) Before demolishing a building that has a private sewer service pipe, the applicant for a demolition permit under the Winnipeg Building By-law must pay a deposit established by City Council. The deposit must be in the form of cash, a certified cheque, a letter of credit, or any other method of payment acceptable to the Director.

24(3) No interest is payable on a deposit provided under subsection (2).

24(4) Within 18 months after a building has been demolished or moved, the current owner must:

- (a) reuse the private sewer service pipe after complying with section 26; or
- (b) ensure that the private sewer service pipe is abandoned as required by the *Standard Construction Specifications*.

24(5) If the current owner fails to comply with subsection (4), a designated employee may abandon the private sewer service pipe as required by the *Standard Construction Specifications* and may use the deposit, required by subsection (2), to cover the cost of doing so.

24(6) When a private sewer service pipe has been reused or abandoned as required, the designated employee must return the deposit, or the unused part of the deposit, to the applicant at the request of the applicant.

Requirements for blocking unused private sewer service pipes

25 To prevent any flow or material from entering the sewer, the owner must ensure that the private sewer service pipe is blocked and remains blocked in a manner acceptable to a designated employee, or has been abandoned as required by the *Standard Construction Specifications*, if:

- (a) a building has no superstructure; or
- (b) a building that has a private sewer service pipe has been demolished.

Requirements for reusing private sewer service pipes

26(1) Before an owner reuses a private sewer service pipe as allowed by section 24, he or she must obtain authorization from a designated employee.

26(2) A designated employee must not issue an authorization unless he or she is satisfied that the private sewer service pipe is in good working order.

**PART 6
CONNECTION REQUIREMENTS**

Responsibility for complying with this Part

27 The generator of wastewater or land drainage and any contractor doing work on the property are each responsible for meeting the requirements of this Part.

All properties to be connected to wastewater sewer

28(1) Subject to subsection (2) and section 29, wastewater from a property must be discharged through a private sewer service pipe to the common sewer adjacent to the property.

28(2) If there is no common sewer adjacent to a property, wastewater must be discharged:

- (a) to an on-site wastewater management system in compliance with Provincial statutes and regulations;
- (b) through a non-conforming private sewer service pipe to a wastewater sewer in compliance with subsection 29(2) at a point that is approved by a designated employee; or
- (c) in compliance with an authorization under section 30.

28(3) A meter must be installed in compliance with sections 90 or 91 on any property that discharges wastewater to the wastewater system.

Requirements for non-conforming private sewer service pipes

29(1) Unless authorized by a designated employee, a private sewer service pipe must not be connected to:

- (a) an interceptor sewer; or
- (b) a wastewater sewer that is not fronting or adjacent to the property.

29(2) A designated employee may authorize a private sewer service pipe to be connected to an interceptor sewer or to a wastewater sewer that is not fronting or adjacent to the property only if there is no wastewater sewer adjacent to the property and if the property owner:

- (a) pays in advance the connection charge referred to in section 35;
- (b) agrees to accept full responsibility for, and to indemnify the City against, any damage, loss or expense as a result of the construction, existence or abandonment of the non-conforming private sewer service pipe; and
- (c) agrees to pay the annual sewer maintenance assessment (frontage tax) as approved by City Council, once the non-conforming private sewer service pipe is connected to the wastewater sewer or interceptor sewer.

Temporary above-ground wastewater disposal permit required

30(1) The owner or occupant of property must not allow to be disposed of overland to the land drainage or wastewater systems unless a designated employee has, in accordance with Section 9, issued a permit for the disposal.

amended 139/2013

30(2) A designated employee may issue a permit authorizing wastewater to be disposed of overland where the wastewater system is able to accommodate the disposal and where it will not pose a risk to human health or safety, property, or the environment.

added 139/2013

Property to be connected to land drainage sewer or combined sewer

31 Land drainage from all properties must be discharged through a private sewer service pipe connected to a land drainage sewer or combined sewer unless:

- (a) the property is a single-family or two-family property;
- (b) a designated employee has authorized otherwise under sections 32, 57, 58, 59, or 61(2); or
- (c) there is no land drainage sewer or combined sewer adjacent to the property.

Temporary above-ground land drainage connections permitted

32 A designated employee may, in writing, authorize land drainage from other than a single-family or two-family property to be discharged above ground through pipes, hoses, trenches or pumps on a temporary basis where:

- (a) the land drainage system or wastewater system is able to accommodate the discharge; and

- (b) the discharge will not pose a risk to human health or safety, property, or the environment.

Property previously served by on-site wastewater management system

33 Before a property previously served by an on-site wastewater management system is connected to the wastewater system, the owner must ensure that a water meter or wastewater meter is installed and is approved, inspected and sealed by a designated employee.

Requirement to abandon a non-conforming private sewer service pipe and connect to the wastewater system

34(1) The owner of a property served by a non-conforming private sewer service pipe must, immediately upon being notified of this obligation by a designated employee:

- (a) connect the property to the wastewater sewer in compliance with this By-law; and
- (b) abandon the non-conforming private sewer service pipe as required by the *Standard Construction Specifications* and in compliance with directions from a designated employee.

34(2) A designated employee must notify the owner of a property served by a non-conforming private sewer service pipe under subsection (1) when a common sewer is installed adjacent to the property.

34(3) A designated employee must notify the owner of a property served by a non-conforming private sewer service pipe under subsection (1) if the non-conforming private sewer service pipe:

- (a) has collapsed or there is a structural defect or blockage so that it is not functioning;
- (b) is interfering with the operation or maintenance of the wastewater system or the land drainage system; or
- (c) is interfering with activities or development on nearby properties.

34(4) A designated employee who issues an order under section 184 of *The City of Winnipeg Charter* to the owner of property who has failed to comply with subsection (1) must, in the order, specify a time of at least 18 months for compliance with the order.

34(5) An order issued by a designated employee under section 184 of *The City of Winnipeg Charter* may be registered by way of caveat against the property in the land titles office under subsection 184(3) of *The City of Winnipeg Charter*.

Connection charge**35(1)** In this section:

"connection charge" means a fee equivalent to the local improvement taxes that would have been imposed on the property if the property had fronted on a wastewater sewer constructed as a local improvement for which notice had been given in the year in which the property was connected to the wastewater sewer. If no wastewater sewer local improvements take place in the year in which the property was connected to the wastewater sewer, the connection charge is equivalent to the local improvement taxes that would have been imposed on the basis of the maximum rate per frontage foot established for wastewater sewers in that year.

amended 32/2018

35(2) Subject to subsections (3) and (4), if in respect of a property where neither local improvement taxes nor a connection charge have ever been imposed, the owner of the property must, at the time of connecting the property to the wastewater sewer, pay the connection charge.

amended 32/2018

35(3) Where the owner of a property fails to pay the entirety of a connection charge imposed under subsection (2) at the time that it is imposed, the connection charge must be added to the property taxes payable in respect of the property pursuant to subclause 210(4)(c)(iii) of The City of Winnipeg Charter and collected in the same manner as local improvement taxes. For greater certainty, the interest rate applicable to local improvement taxes for wastewater sewers imposed in that year and term (that is, the number of years of payments) for local improvement taxes for wastewater sewers imposed in that year, or in the last year in which local improvement taxes were imposed for wastewater sewers where no local improvement taxes have been imposed for wastewater sewers in that year, applies to the payment of the connection charges.

amended 32/2018

35(4) Despite subsection (2), no connection charge is payable in respect of a property when:

amended 32/2018

- (a) a wastewater sewer has been installed adjacent to a property as a condition of a subdivision agreement or other agreement; and
- (b) the said agreement includes the said property.

Owner responsible for private sewer service pipe

36(1) The owner of a property is responsible for installing and maintaining in good working order every private sewer service pipe serving that property.

36(2) Subject to section 37, the owner of a property is responsible for repairing or replacing a private sewer service pipe serving that property.

36(3) Where two or more properties share a private sewer service pipe, the owner of each property is responsible for complying with the obligations of an owner under this By-law.

36(4) In complying with the obligations imposed by subsections (1) and (2) to install, maintain, repair, or replace a private sewer service pipe, the owner must use the services of a sewer contractor licensed under this By-law.

Repair and replacement of pipe under street

37(1) Despite section 36, the Director must arrange and pay for repairing or replacing the part of a private sewer service pipe carrying only wastewater if the property owner can demonstrate to the satisfaction of the designated employee that a blockage in the private sewer service pipe is located under a street and:

- (a) cannot be cleared satisfactorily by auguring from within the property; or
- (b) is due to a structural failure in the private sewer service pipe.

37(2) In determining whether subsection (1) is applicable, the designated employee may take into account:

- (a) evidence that at least two different sewer cleaning contractors have been unsuccessful in clearing a blockage under a street by auguring from within the property;
- (b) evidence that at least four sewer cleanings, two within the previous nine months, have been required to clear a blockage under a street that has been caused by a structural failure in the private sewer service pipe; or
- (c) a video inspection demonstrating that the private sewer service pipe has collapsed or is otherwise blocked so that it is not functioning and an excavation is required.

37(3) In making a determination under subsection (1), an authorized employee may require a City employee to be present at an attempt to clear any blockage in, or during a video inspection of, the private sewer service pipe.

37(4) The obligation of the Director to act under subsection (1) does not apply to:

- (a) cleaning or other maintenance required for a private sewer service pipe;
- (b) a non-conforming private sewer service pipe; or

- (c) any part of a private sewer service pipe that has been installed or replaced within the previous 12 months.

Interconnection of wastewater and land drainage private sewer service pipes prohibited

38 The owner of property and a person doing the work must not allow a private sewer service pipe carrying wastewater to be connected with a private sewer service pipe carrying land drainage.

**PART 7
DISCHARGES OF WASTEWATER**

Responsibility for complying with this Part

39 The generator of wastewater is responsible for ensuring that the wastewater being discharged meets the requirements of this Part.

Wastewater must be discharged to wastewater system

40 Unless otherwise authorized in this Part, wastewater must be discharged only to the wastewater system.

Wastewater discharges to wastewater system restricted

41(1) Except as authorized by an Overstrength Discharge Licence or a Wastewater Discharge Licence, a person must not discharge or allow the discharge of wastewater into the wastewater system, if to do so is likely to:

- (a) pose a risk of harm to human health or safety, property, or the environment;
- (b) interfere with the operation or maintenance of the wastewater system or the land drainage system;
- (c) damage the wastewater system or the land drainage system;
- (d) restrict the flow in the land drainage system or the wastewater system;
- (e) cause an unusual and offensive odour to be given off from the land drainage system or the wastewater system; or

- (f) prevent the City from meeting limits imposed by the Province of Manitoba or Government of Canada for disposal of liquid to waterways or of biosolids to land.
amended 11/7/2010

41(2) Except as authorized by an Overstrength Discharge Licence or a Wastewater Discharge Licence, a person must not discharge or allow the discharge of wastewater into the wastewater system if it contains:

- (a) any of the substances set out in Schedule A; or
- (b) substances with concentrations that exceed the limits set out in Schedule B.

Wastewater Discharge Licence required

42(1) A person must not discharge wastewater into the land drainage system unless a designated employee has, in accordance with section 9, issued a Wastewater Discharge Licence or an authorization permitting the discharge.

42(2) Unless a Wastewater Discharge Licence specifically permits a particular substance or a particular concentration of a substance to be discharged, a person must not discharge wastewater into the land drainage system if it contains:

- (a) any of the substances set out in Schedule C; or
- (b) substances with concentrations that exceed the limits set out in Schedule D.

42(3) A designated employee must not issue a Wastewater Discharge Licence to a person if permitting the discharge would:

- (a) pose a risk of harm to human health or safety, property, or the environment;
- (b) interfere with the operation or maintenance of the wastewater system or the land drainage system;
- (c) damage the wastewater system or the land drainage system; or
- (d) restrict the flow in the land drainage or wastewater system.

42(4) In addition to the reasons set out in Part 3 for suspending or cancelling a licence, a Wastewater Discharge Licence may be suspended or cancelled if the designated employee concludes that the wastewater cannot be accommodated and treated within the wastewater system or the land drainage system.

Discharge rate limits

43(1) In order to prevent the wastewater system from being overloaded, a designated employee may require the generator of wastewater to limit the rate of discharge of wastewater to the wastewater sewer. The generator of wastewater must comply with such a requirement.

43(2) Subsection (1) does not apply to a discharge from a single-family or two-family property, except for the discharge of swimming pool water.

43(3) If a designated employee imposes a limit under subsection (1), the generator must construct and maintain a discharge control device acceptable to the designated employee.

Overstrength Discharge Licence required

44(1) The generator must not allow wastewater to be discharged into the wastewater system if it violates Schedule B, unless he or she holds an Overstrength Discharge Licence issued by a designated employee, in accordance with section 9, authorizing the specific discharge. In this case, the generator must comply with any limits or conditions on specific substances specified in the Overstrength Discharge Licence.

44(2) A designated employee may issue an Overstrength Discharge Licence only if he or she concludes that the overstrength wastewater can be accommodated and treated within the wastewater system.

44(3) In addition to the reasons set out in Part 3 for suspending or cancelling a licence, an Overstrength Discharge Licence may be suspended or cancelled if the designated employee concludes that the overstrength wastewater cannot be accommodated and treated within the wastewater system.

44(4) The designated employee may impose, as a condition on the Overstrength Discharge Licence, the requirement that the licence holder treat the wastewater in a manner specified by the designated employee so that it meets the By-law requirements.

Surcharges for select overstrength wastewater substances

45(1) The generator of wastewater must pay any applicable surcharges on substances that exceed limits set out in Schedule B. The surcharges must be based on a sampling protocol designed to represent discharges over a full day of operation of the generator.

45(2) For the purposes of subsection (1), a full day of operation means all or part of a 24-hour period, beginning at the start of production and ending at the completion of cleanup, during which a continuous or intermittent discharge to the wastewater system can occur.

Grease interceptors required

46(1) Unless an exemption is granted under subsection (2), the operator and owner of a food service establishment must ensure that every kitchen sink and dishwasher waste pipe in a food

service establishment is connected to a grease interceptor that complies with this Part and is acceptable to a designated employee.

46(2) A designated employee may grant a written exemption to the requirements of subsection (1) if the food service establishment does not discharge grease or cooking oil to the wastewater system.

46(3) The operator and owner of a food service establishment must ensure that the grease interceptor required by subsection (1) is:

- (a) accessible for maintenance and cleaning;
- (b) the right size for the flow capacity of the connected pipe; and
- (c) installed at the required slope to provide a minimum retention time as required by *Canadian Standards Association* Standard B 481 or successor standard.

46(4) The operator and owner of a food service establishment must ensure that chemical or biological additives are not added to wastewater discharged to a grease interceptor or placed into a grease interceptor, if this increases the quantity of grease discharged to a sewer.

Oil interceptors required

47(1) The operator and owner of a property that discharges or is likely to discharge motor oil to the wastewater system must ensure that an oil interceptor that complies with this Part and is acceptable to the designated employee is installed on the premises.

47(2) The operator and owner of a property must ensure that the oil interceptor required by subsection (1) is:

- (a) installed at the point where the wastewater enters the private sewer service pipe; and
- (b) connected to all floor drains to prevent motor oil and lubricating grease from passing into the private sewer service pipe.

Sediment interceptors required

48(1) The owner and operator of a property must ensure that a sediment interceptor that complies with this Part and that is acceptable to the designated employee is installed at a mechanical service garage and a vehicle wash floor that discharges to the private sewer service pipe.

48(2) The operator and owner of a property must ensure the sediment interceptor required by subsection (1) for mechanical service garages and vehicle wash floors:

- (a) is large enough to retain sand or grit during any 24-hour period at peak flow; and
- (b) has a volume of at least 0.6 cubic metres, measured below the invert of the overflow.

Oil, grease or sediment interceptor design specifications

49 The owner and operator of a property must ensure that an oil, grease or sediment interceptor required by this Part is:

- (a) solid, watertight, and secured in place;
- (b) readily accessible for cleaning;
- (c) large enough to capture, under peak flow conditions, the material it is designed to intercept;
- (d) capable of withstanding abrupt and extreme changes in temperature;
- (e) equipped with easily removable covers which, when bolted in place, are airtight and watertight; and
- (f) able to support occupancy floor load if installed under a floor.

Oil, grease and sediment interceptor maintenance requirements

50(1) The owner and operator of a property must ensure that an oil, grease or sediment interceptor is:

- (a) operated and maintained according to the manufacturer's instructions; and
- (b) cleaned regularly so that it functions properly.

50(2) The owner and operator of a property must ensure that all maintenance activities for an oil, grease or sediment interceptor are recorded and the records kept for 12 months following the date of maintenance. The records must be made available for inspection by a designated employee upon request.

Dental waste amalgam separator required

51 Subject to this section, the owner of a dental practice must ensure that an amalgam separator is installed, operated and properly maintained on all fixtures that receive dental amalgam containing mercury in compliance with the requirements of the Manitoba Dental Association.

Food waste grinder discharge restrictions

52(1) In this section, “food waste grinder” means a device installed in a kitchen sink that is designed to grind food waste to particle sizes for discharge into the wastewater system.

52(2) Wastewater must not be discharged from a food waste grinder into the wastewater system, except as permitted in subsection (3).

52(3) Wastewater may be discharged to the wastewater system from a food waste grinder if the grinder:

- (a) meets the requirements of the current version of the standard performance requirements for plumbing aspects of food waste disposer units, issued by the American Society of Sanitary Engineers (ASSE), and
- (b) is operated by a motor or motors having a combined rating equal to or less than 0.80 kilowatts.

Swimming pool water discharge restrictions

53 Unless a valid Wastewater Discharge Licence under section 42 has been issued authorizing the discharge, a person must not discharge swimming pool water:

- (a) into the land drainage system;
- (b) onto a street;
- (c) onto neighbouring property;
- (d) into a waterway or onto the banks of a waterway; or
- (e) above ground into a wastewater sewer.

**PART 8
DISCHARGES OF LAND DRAINAGE**

Responsibility for complying with this Part

54 The generator of land drainage is responsible for ensuring that the land drainage being discharged meets the requirements of this Part.

Land drainage must be discharged to land drainage system

55 Unless otherwise authorized in this Part, land drainage must be discharged only to the land drainage system or a combined sewer.

Land drainage discharges to land drainage system restricted

56(1) A person must not discharge or allow the discharge of land drainage into the land drainage system, if to do so is likely to:

- (a) pose a risk of harm to human health or safety, property, or the environment;
- (b) interfere with the operation or maintenance of the land drainage system or the wastewater system;
- (c) damage the land drainage system or the wastewater system;
- (d) restrict the flow in the land drainage system or the wastewater system;
- (e) cause an unusual and offensive odour to be given off from the land drainage system or the wastewater system; or
- (f) prevent the City from meeting limits imposed by the Province of Manitoba or Government of Canada for disposal of liquid to waterways or of biosolids to land.

56(2) A person must not discharge or permit the discharge of land drainage into the land drainage system if it contains any of the substances set out in Schedule C or if it exceeds the limits of the concentrations of substances set out in Schedule D.

Land Drainage Discharge Licence required

57(1) Subject to this section and sections 58 and 59, a person must not discharge land drainage into any wastewater sewer, other than a combined sewer, unless a designated employee has, in accordance with section 9, issued a Land Drainage Discharge Licence authorizing the discharge.

57(2) Subsection (1) does not apply to land drainage being discharged from a single-family or two-family property.

57(3) A designated employee may issue a Land Drainage Discharge Licence only if:

- (a) the rate of discharge of the land drainage will not exceed the capacity of the wastewater system; and
- (b) there is no risk of harm to human health or safety, property, or the environment caused by the licensed discharge.

57(4) In order to determine whether or not to issue a Land Drainage Discharge Licence or authorization, a designated employee may require the person discharging or planning to discharge the land drainage to:

- (a) identify the quality or quantity of the discharge, or provide other information relevant to the discharge;
- (b) develop a best management practices plan; or
- (c) carry out pollution prevention measures.

Downspout Discharge Licence required

58(1) The owner or occupant of a property must not permit rainwater downspouts to connect to a wastewater sewer unless a designated employee has, in accordance with section 9, issued a Downspout Discharge Licence authorizing the discharge.

58(2) The designated employee may issue a Downspout Discharge Licence only if the building is connected to a combined sewer and the downspout water discharged on the property would:

- (a) flow onto adjacent property or onto the street; or
- (b) pose a risk to human health or safety, property, or the environment.

Sump Pump Discharge Licence required

59(1) The owner or occupant of a property must not permit water from a sump pump to be discharged to a wastewater sewer unless a designated employee has, in accordance with section 9, issued a Sump Pump Discharge Licence authorizing the discharge.

59(2) A designated employee may issue a Sump Pump Discharge Licence only if sump pump water discharged on the property would:

- (a) flow onto adjacent property or onto the street; or
- (b) pose a risk to human health or safety, property, or the environment.

Discharge rate limits

60(1) In order to prevent the land drainage system or wastewater system from being overloaded, a designated employee may require the generator of land drainage to limit the discharge rate of land drainage to the land drainage or wastewater system.

60(2) Subsection (1) does not apply to a single-family or two-family property on a lot that is smaller than 1,000 square metres.

60(3) If a designated employee imposes a limit under subsection (1), the owner must construct, use and maintain a discharge control device acceptable to the designated employee.

Temporary disposal permit required

61(1) The owner or occupant of property, other than a single-family or two family property, must not allow land drainage to be disposed of overland to the land drainage or wastewater systems unless a designated employee has, in accordance with Section 9, issued a permit for the disposal.

61(2) A designated employee may issue a permit authorizing land drainage to be disposed of overland where the land drainage system or wastewater system, as the case may be, is able to accommodate the disposal and where it will not pose a risk to human health or safety, property, or the environment.

amended 139/2013 (entire section)

Catch basin maintenance required

62 All catch basins and discharge control devices on private property must be maintained in good working order.

**PART 9
SPILLS**

Obligation to notify the City

63(1) The person who is responsible for a spill or who has custody and control of the substances involved in a spill must immediately notify a designated employee, and must provide all information about the spill, including:

- (a) the date and time of the spill;
- (b) the content and quantity of the spill;
- (c) the location of the spill;
- (d) the cause and nature of the spill;
- (e) the action completed and any work still in progress to mitigate the spill;
and
- (f) the name and contact information of the person reporting the spill.

63(2) If a spill poses an immediate danger to human health or safety, property or the environment, the person responsible for the spill or who has custody and control of the substances involved in a spill must call 911 to report the spill.

Containing and cleaning up the spill

64 The person who is responsible for a spill or who has custody and control of the substances involved in a spill must take all reasonable measures to:

- (a) contain the spill;
- (b) reduce the risk of harm to human health and safety, property, and the environment;
- (c) clean up the spill and contaminated residue and dispose of spill material appropriately; and
- (d) restore the affected area to its condition before the spill.

Preparing and submitting a written report

65 The person who is responsible for a spill or who has custody and control of the substances involved in a spill must submit a written report to the designated employee within five working days of the spill, containing information required to determine:

- (a) information required by section 63(1); and
- (b) actions necessary to reduce the effect of the spill and to prevent future spills.

**PART 10
HAULED WASTEWATER**

No discharge except at designated sites

66 A person may discharge hauled wastewater only at the discharge points designated by the Director.

Wastewater Hauler's Licence required

67(1) The owner of a vehicle that discharges hauled wastewater at a discharge point designated by the Director must hold a valid Wastewater Hauler's Licence.

67(2) Subsection (1) does not apply to the owner of a recreational vehicle that discharges wastewater directly at a discharge point designated by the Director.

67(3) In addition to the reasons for suspending or cancelling a licence set out in sections 10 and 11, a Wastewater Hauler's Licence may be suspended or cancelled for one or more violations of section 69.

Wastewater Disposal Vehicle Licence required

68(1) Subject to this section, a person must hold a current Wastewater Disposal Vehicle Licence for each vehicle used to discharge hauled wastewater at a discharge point designated by the Director.

68(2) Subsection (1) does not apply to the owner of a recreational vehicle that discharges wastewater directly at a discharge point designated by the Director.

68(3) Before issuing a Wastewater Disposal Vehicle Licence in accordance with section 9, the designated employee must ensure that:

- (a) the owner of the vehicle holds a valid Wastewater Hauler's Licence; and
- (b) the vehicle being licensed has a tank that will not leak and is otherwise suitable for hauling wastewater.

68(4) A person hauling wastewater within the city must present a valid Wastewater Disposal Vehicle Licence for the vehicle when asked to do so by a designated employee.

68(5) In addition to the reasons for suspending or cancelling a licence set out in sections 10 and 11, a Wastewater Disposal Vehicle Licence may be suspended or cancelled if the vehicle is not suitable for hauling wastewater.

68(6) A Wastewater Disposal Vehicle Licence is automatically suspended or cancelled when the owner's Wastewater Hauler's Licence is suspended or cancelled.

Responsibilities of wastewater haulers

69(1) Before discharging hauled wastewater at a designated discharge point, the person hauling the wastewater must provide to the designated employee the following information concerning each generator of the wastewater he or she is hauling:

- (a) the type of property or facility;
- (b) the address of the property or facility;
- (c) the owner or contact person of the property or facility;
- (d) the type of wastewater; and
- (e) the volume of wastewater.

69(2) When discharging hauled wastewater at a designated discharge point, the person hauling the wastewater must:

- (a) ensure that wastewater is not deposited on the ground at the discharge point;

- (b) pay a volumetric disposal fee within 30 days of being billed by the designated employee;
- (c) provide the following information in writing before discharging each load of hauled wastewater:
 - i) the name of the hauler,
 - ii) the name and address of the generator(s), and
 - iii) the contents of the load;
- (d) comply with the rules established for the operation of the discharge point;
- (e) ensure that sand, gravel or other material that has been identified by the designated employee as likely to obstruct the wastewater system is not deposited at the discharge point;
- (f) ensure that the wastewater being discharged does not contain:
 - i) any of the substances set out in Schedule A; or
 - ii) substances with concentrations that exceed the limits set out in Schedule B, with the exception of the select overstrength substances that are subject to a surcharge; and
- (g) comply with all other conditions placed on the Wastewater Hauler's Licence.

Responsibility of generators of hauled wastewater

70 The generator of hauled wastewater must not permit the wastewater to be collected by a wastewater hauler if it contains:

- (a) any of the substances set out in Schedule A; or
- (b) substances in Schedule B, other than those with an applicable surcharge, if the concentrations exceed the limits set out in Schedule B.

Non-household hauled wastewater disposal fee

71(1) In this section:

"household wastewater" means greywater and toilet waste discharged by:

- (a) appliances such as dishwashers and washing machines; and

- (b) plumbing fixtures such as toilets, urinals, bidets, sinks, showers, and bathtubs.

71(2) In addition to the applicable disposal fee payable by a person hauling wastewater, under subsection 69(2), the generator of hauled wastewater must pay a volumetric fee for wastewater that is not household wastewater.

amended 60/2013

71(3) For greater certainty, the fee referred to in subsection (2) applies to all wastewater, except household wastewater, that has been kept separate from other wastewater until it enters the wastewater disposal vehicle.

amended 60/2013

PART 11 POLLUTION PREVENTION PLANNING

Definitions

72 In this Part:

"BMP Guideline" means a Best Management Practices Guideline, a business sector-based plan to control or reduce the discharge of substances listed in Schedules A, B, C, and D into the wastewater or land drainage system.

"Plan" means a Pollution Prevention Plan prepared for a particular business that identifies:

- (a) actions to control or reduce the discharge to the wastewater system or land drainage system of substances listed in Schedules A, B, C, and D; and
- (b) target dates for accomplishing specific actions.

"pollutant" means a substance listed in Schedules A, B, C, or D.

"progress update" means an update on the progress made by the particular business toward the pollution prevention goals set out in its Plan or the best management practices set out in the applicable BMP Guideline.

Scope of this Part

73(1) This Part applies only to businesses within a business sector listed in Schedule E.

73(2) The Director must:

- (a) at least one year prior to the effective date established in Schedule E for this Part to apply to a business sector, post on the City's web site a notice announcing the effective date; and
- (b) make other reasonable efforts to communicate the effective date and the requirements of this Part to businesses within the business sector.

Plan required

74(1) Subject to this section, an owner of a business must submit a Plan for approval by the Director and follow the approved Plan if the Director determines that the business is discharging substances in contravention of Schedules A, B, C or D.

74(2) The obligation in subsection (1) does not apply if the only discharge of a pollutant from the business is a substance that is the subject of an Overstrength Discharge Licence and for which a surcharge is paid under section 45.

74(3) In order to make a determination under subsection (1), the Director may require owners of businesses, in accordance with requirements established by the Director, to collect and provide to the Director data respecting discharges from the business to the wastewater or the land drainage system or both.

74(4) The requirement to collect and provide data under subsection (3) may be imposed on businesses prior to the effective date established in Schedule E for this Part to apply to the business sector.

74(5) If a business has never submitted a Plan, the obligation under subsection (1) takes effect the later of:

- (a) six months after the date the owner was notified by the Director that the business is required to submit a Plan under subsection (1); or
- (b) the effective date established in Schedule E for this Part to apply to a business sector to which the business belongs.

74(6) Where the ownership of a business changes within six months after the owner has been notified by the Director under subsection (5), the obligation to submit a Plan takes effect six months after the new owner has been notified by the Director.

Form and content of Plan

75(1) The Director is authorized to determine the form on which the Plan is submitted.

75(2) In addition to any other matter or requirement determined by the Director, a new Plan or a renewed Plan must include the following:

- (a) a description of the processes at the premises which use or produce pollutants;
- (b) a description of those processes at the premises which are to be adjusted over the life of the Plan;
- (c) a list of any pollutants that are present at the premises at any stage of the operations of the premises;
- (d) the types, quantities and concentrations of any pollutants that are discharged directly to the wastewater or land drainage system;

- (e) a description of current waste reduction, recycling, wastewater treatment, and pollution prevention activities with respect to wastewater or land drainage discharges at the premises;
- (f) a description of pollution prevention options for pollutants that are present in the wastewater or land drainage discharge and an evaluation of those options;
- (g) a schedule to reduce or eliminate the discharge of pollutants to the wastewater or land drainage systems to the point where the discharge is in compliance with Schedules A, B, C, and D; and
- (h) a declaration from an appropriate representative of the business that the content of the Plan is true, accurate and complete.

75(3) Where the Director has approved one or more BMP Guidelines for a business sector to which a business belongs, the Plan submitted for the business may consist of a written undertaking by the owner or operator of the business to follow the BMP Guideline.

Requirements if a Plan is rejected

76(1) The Director must not approve a new or renewed Plan if it:

- (a) would not control or reduce the discharge of pollutants in a manner that will bring the business into compliance with Schedules A, B, C, and D within a reasonable period of time; or
- (b) fails to contain enough information to determine if it would control or reduce the discharge of pollutants.

76(2) If a Plan is not approved by the Director, the owner of the business must amend and resubmit the Plan within 90 days of being notified of the Director's refusal to approve the Plan.

76(3) If the resubmitted Plan is not approved by the Director, the owner of the business is in violation of this By-law.

Notice of change in information required

77 Where there is a change to the facts referred to in clauses 75(2)(a) to (d) or where there is a change of ownership, the owner of the business required to submit a Plan must notify the Director of the change within 30 days.

Renewing the Plan

78(1) Subject to this Part, the owner of a business required to submit a Plan must, at least once every five years, renew the Plan by:

- (a) submitting a new or revised Plan; or
- (b) confirming his or her commitment to the existing Plan.

78(2) In order to take into account changing circumstances, including a change in ownership, the Director may require the owner of a business to renew the Plan more frequently than required in subsection (1). In this case, the owner of the business must provide a renewed Plan within 90 days of being notified by the Director of this requirement.

Spills and other contraventions

79 When a spill takes place or where there is evidence that a business is involved in new contraventions, the Director may require the owner of the business responsible for the spill or the contraventions to submit a new or revised Plan even if the business has not been required to submit a Plan or has had its obligations under this Part terminated. In this case, the owner of business must provide a renewed Plan within 90 days of being notified by the Director of this requirement.

Regular submission of progress updates

80(1) The owner of every business that is required to submit a Plan under section 74 must regularly submit progress updates for the approval of the Director.

80(2) Progress updates must be submitted:

- (a) annually within 30 days of the anniversary of the date when the Plan was approved;
- (b) in a form approved by the Director; and
- (c) with sufficient information to evaluate the progress of the business towards the goals in its Plan and the ability of the business to accomplish those goals.

80(3) If a progress update contains false information concerning the progress of the business towards the goals in its Plan or otherwise fails to accurately disclose the progress of the business towards the goals in its Plan, the owner of the business is in violation of this By-law.

Requirements if progress update does not contain adequate information

81(1) If a submitted progress update does not contain the information referred to in clause 80(2)(c), the Director may refuse to accept the progress update and require the owner of the business to amend and resubmit the progress update within 90 days.

81(2) If a resubmitted progress update does not contain the information required by the Director, the owner of the business is in violation of this By-law.

Consequences if business does not achieve progress

82(1) If the Director determines that a business is not making adequate progress toward the goals set out in a Plan, the Director may require the owner to submit a new Plan for the business and the business to follow that Plan, once it has been approved by the Director.

82(2) If the business fails to achieve the goals established in the new Plan by the target dates set out in the new Plan, the owner of the business is in violation of this By-law.

Storage of Plans and progress updates

83 The owner of a business that is required to have a Plan under this Part must keep copies of the current Plan and the current progress update at the business for which it was prepared, and have them available for inspection by a designated employee.

Termination of obligation to engage in pollution prevention planning

84 Where the Director determines that a business is complying with Schedules A, B, C, and D and is likely to continue to do so in the future, the Director must notify the owner that the business no longer has an obligation to comply with the requirements of this Part. After being so notified, the business is not required to comply with this Part unless it again discharges substances in contravention of Schedules A, B, C or D.

Consequences of violating this Part

85 If a person is in violation of this Part, in addition to any other enforcement measures, the Director may cancel an Overstrength Discharge Licence issued to the business.

Enforcement actions against businesses governed by this Part

86 The fact that the owner of a business is in compliance with this Part does not limit the Director's capacity to enforce this By-law in any way.

PART 12 SEWER CHARGES

Sewer charge imposed

87(1) A sewer charge, calculated according to this Part, is imposed on the owner or occupant of any property from which any wastewater or land drainage is discharged to the wastewater system or land drainage system.

87(2) Subject to this Part, the amount of the sewer charge owing is the sewer rate or well water discharge rate multiplied by the volume of water supplied to the property from all sources during a billing period. The sewer charge is payable when billed.

amended 156/2011

87(3) Subject to subsection (4), if water is not supplied to a property by the City, the sewer charge owing is:

- (a) either or both of the following:
 - (i) the sewer rate multiplied by the amount of wastewater being discharged to the wastewater system from the property;
 - (ii) the well water discharge rate multiplied by the amount of water being discharged to the land drainage system from the property;
- (b) a daily basic service charge.

amended 139/2013

87(3.1) For the purposes of clause 87(3)(a), where a private meter has been installed pursuant to section 91, the amount of wastewater or well water being discharged to the wastewater system or the land drainage system shall be measured by the private meter. If a private meter has not been installed pursuant to section 91, the amount of wastewater or well water being discharged is deemed to be the amount of water supplied to the property from a well or another source, as measured by a meter installed by the City under section 90.

added 156/2011

87(4) If an accurate measurement of the water supplied to, or wastewater discharged from, a property cannot be obtained for any reason, the sewer charge owing is the sewer rate multiplied by an estimate made by a designated employee of the volume of water used by the property or the volume of wastewater discharged from the property during the billing period.

Adjustment of sewer charges

88(1) In this section:

"applied volume" means the volume of water supplied to a particular property that is not discharged into the wastewater system, land drainage system or a waterway, calculated on the basis of data provided by meters.

88(2) Despite any other provision in this section, a property owner must pay sewer charges on the first 1,000 kilolitres of applied volume used annually at each property.

88(3) Subject to this section, upon application by the owner or occupant of a property and payment of any application fee, the Director may adjust the sewer charges by crediting to the account annually the sewer charges on the applied volume in excess of 1,000 kilolitres annually.

88(4) The Director may adjust the sewer charges under subsection (3) only if:

- (a) the property owner or occupant pays an application fee and an annual renewal fee;
- (b) the property owner or occupant installs and maintains meters as required by the designated employee in order to determine the applied volume;
- (c) the property owner or occupant pays for the installation of a water meter or meters in compliance with section 91, and necessary plumbing modifications;
- (d) the property is connected to the wastewater system;
- (e) the property is not in contravention of this By-law or the Water Works By-law; and
- (f) the fees and charges required to be paid under this By-law are not in arrears.

88(5) Subject to this section, the Director must apply the application fee and the annual renewal fee to the credit of the property owner or occupant's account at the time the sewer charges are adjusted under subsection (3), if the property qualifies for an adjustment of sewer charges under this section.

88(6) The Director must stop adjusting the sewer charges under subsection (3) if:

- (a) the property owner or occupant fails to pay the annual renewal fee on the date set by the Director;
- (b) the applied volume supplied to the property falls below 1,000 kilolitres in a year;
- (c) the process that diverts water from the wastewater system has failed or is no longer consistent with the information provided in the application;
- (d) the property is in contravention of this By-law or the Water Works By-law; or

- (e) the fees and charges required to be paid under this By-law or the Water Works By-law are in arrears.

88(7) The Director may stop adjusting the sewer charges and may refuse to apply the renewal fee or application fee to the property owner or occupant's account if:

- (a) a privately owned meter is not accurately measuring for four months or more the amount of water or wastewater supplied to a meter; or
- (b) the property owner or occupant benefitting from an adjustment fails to inform a designated employee, within ten business days, of any changes to the information submitted in the application.

The property owner or occupant must pay sewer charges estimated under this subsection from the date the meter was found to be inaccurate or the obligation to inform was violated.

88(8) Where the Director has stopped adjusting the sewer charges under subsection (7), the Director may reinstitute the adjustment after being satisfied that the property owner or occupant's privately owned meter is accurately measuring the amount of water or wastewater supplied to the meter.

Large volume sewer credit program

89(1) Subject to this section, the Director may apply an annual credit in the amount of 30% of the total sewer charges and overstrength wastewater surcharges which exceed \$100,000 in the 2013 calendar year and which exceed \$150,000 in 2014 and every calendar year thereafter on one or more properties owned or occupied by a business that has:

- (a) earned at least 25% of its gross sales revenue in that calendar year from sales to locations outside the city; and
- (b) has been charged more than \$100,000 in sewer charges and overstrength wastewater surcharges in 2013, and more than \$150,000 in 2014 and every calendar year thereafter, on all its properties.

amended 139/2013 (entire section)

89(2) The Director may approve a credit under subsection (1) only if the owner or occupant of the property:

- (a) applies for the credit each year in the 12 months after the calendar year for which the discount is being requested;
- (b) conducts a business limited to the manufacture, fabrication, assembly or processing of goods and materials at premises within the city;
- (c) provides an attest opinion from an independent accounting professional authorized to provide such opinions in the Province of Manitoba which satisfies the Director that at least 25% of its gross sales revenue in the previous calendar year resulted from sales to locations outside the city;
- (d) is not in violation of this By-law or the Water Works By-law; and
- (e) the fees and charges required to be paid under this By-law and the Water Works By-law are not in arrears.

City meters

90(1) Unless a designated employee authorizes a private meter under section 91, the owner of property must allow a City water meter to be installed by the City in order to determine the volume of wastewater discharged to the wastewater system.

90(2) Where a property owner or occupant requests that a water meter be tested to determine its accuracy and pays a test fee, the Director must conduct a test of the water meter. If the test shows that the water meter was over-registering according to the current specifications of the American Water Works Association, the Director must refund the test fee.

Private meters

91(1) At the request of the property owner, a designated employee may permit a privately owned meter to be installed:

- (a) where water is supplied by a well; or
- (b) in situations where the amount of water supplied to a property may not accurately reflect the wastewater discharged to the wastewater system.

91(2) Where a privately owned meter is installed:

- (a) the meter must be of a type determined by a designated employee to be appropriate for its proposed use;

- (b) the owner must supply, install and maintain the meter in proper working order; and
- (c) if required by the designated employee, the owner must provide certification satisfactory to a designated employee that the meter is accurate.

Collection of outstanding sewer charges

92 Where sewer charges imposed by this By-law have not been paid, the Director may take any action the City is authorized to take in order to collect the outstanding charges. This includes adding the amount of the charges to the real property taxes imposed by the City on the property from which wastewater or land drainage was discharged to the wastewater system or land drainage system.

PART 13 ADMINISTRATION, ENFORCEMENT AND OTHER PROVISIONS

Compliance orders

93 Any order to remedy a violation of this By-law must be issued under *The City of Winnipeg Charter*.¹

Service address

94 Where an address for sending a notice, order, decision, or other document is required, one of the following must be used:

- (a) if the person to be served is the owner of real property, either the address maintained by the tax collector for the purpose of issuing the tax notice for that property or the address maintained by the Director for the purpose of issuing bills for sewer service for that property;
- (b) if the person to be served is the occupant of real property, the street address for that property; or
- (c) if the document relates to a permit, licence or authorization, the address provided to the Director by the applicant for the permit, licence or authorization.

¹ Charter provisions concerning Orders are found in sections 116, 117 and 184.

Obstructing work prohibited

95 A person must not obstruct the authorized work of the employees or agents of the City while they are working on the wastewater system or land drainage system.

amended 117/2010

Damage to and obstruction of sewer prohibited

96(1) A person must not damage the wastewater system or land drainage system.

96(2) A person must not interfere with the operation of any part of the wastewater system or land drainage system unless authorized by a designated employee in accordance with section 9.

96(3) A person must not interfere with the operation of a private sewer service pipe under a street unless authorized to do so by the property owner and authorized by a designated employee in accordance with section 9.

Penalties for violating By-law

97 Unless another penalty for an offence is specified in this By-law, a person who is convicted of violating this By-law is subject to the following fines:

- (a) for a first offence a fine of not less than \$1,000 up to \$50,000;
- (b) for a second offence a fine of not less than \$5,000 up to \$100,000; and
- (c) for a third offence a fine of not less than \$10,000 up to \$250,000.

Appeals

98(1) Any appeal permitted by *The City of Winnipeg Charter* may be made to the Standing Policy Committee on Water and Waste, Riverbank Management and the Environment.

amended 113/2015

98(2) Appeals must be in writing and accompanied by the applicable appeal fee.

Director's powers - flooding prevention

99(1) The Director is authorized to maintain and operate permanent flood pumping stations, gates and gate chambers.

99(2) In a period of high water levels in rivers and streams or when overland flooding is possible, the Director is authorized to operate auxiliary pumps and to close openings between the wastewater or land drainage systems and any body of water in order to alleviate the threat or remedy its effects.

99(3) Where the threat of flooding constitutes an emergency, the Director is authorized to take whatever actions or measures are necessary to meet the threat of flooding and to eliminate or reduce its effects.

**PART 14
REPEALS AND COMING INTO FORCE**

Sewer By-law No. 7070/97 repealed

100(1) The Sewer By-law No. 7070/97 is repealed.

100(2) This By-law replaces the Sewer By-law No. 7070/97.

Schedules

101 Schedules A to E attached form part of this By-law.

Coming into force

102(1) Subject to subsection (2), this By-law comes into force on January 1, 2011.

102(2) Part 11 (Pollution Prevention Planning) comes into force on January 1, 2012.

DONE AND PASSED this 21st day of July, 2010.

SCHEDULE A
Substances Prohibited in Discharges to Wastewater System

1. a liquid or gas which:
 - (a) will cause a lower explosive limit reading to exceed 10% of the lower explosive limit on a combustible gas meter at any point in the sewer system;
 - (b) has a total purgeable hydrocarbons concentration greater than 10 mg/L;
or
 - (c) has a total semivolatile hydrocarbons concentration greater than 100 mg/L;
2. any solids which will not pass through a 6.0 millimetre screen;
3. dyes or colouring materials which could pass through the wastewater system and discolour the wastewater;
4. hazardous waste, including:
 - (a) explosives,
 - (b) flammable liquids,
 - (c) flammable solids,
 - (d) gas (Class 2),
 - (e) infectious or toxic,
 - (f) oxidizing substances and organic peroxides,
 - (g) radioactive material except where the person:
 - (i) is discharging radioactive material under a valid licence issued by the Canadian Nuclear Safety Commission or its successor, and
 - (ii) has provided a copy of the licence to a designated employee upon request;
amended 142/2011
5. ignitable liquids;
6. landfill leachate, except that produced from landfills owned by the City of Winnipeg and other landfills approved by a designated employee;
7. concentrated pesticides;
8. pharmaceutical products, both dispensed and over-the-counter;
9. solid matter, other than properly shredded food waste from a food waste grinding device as set out in section 52;

10. solid or viscous substances that are likely to obstruct the flow in a sewer, including ashes, bones, cinders, sand, mud, soil, straw, shavings, metal, glass, rags, feathers, tar, plastics, grease, oil, wood, unground garbage, animal parts or tissues, and material taken from the belly of slaughtered animals;
11. any substance or matter at a temperature greater than 60 degrees Celsius at point of discharge.

SCHEDULE B
Concentration Limits for Discharges into the Wastewater System

Parameter	Limit (mg/L)
Aldrin / dieldrin	0.0002
Aluminum (total)	50
Antimony (total)	5.0
Arsenic (total)	1.0
Benzene	0.5
Biochemical oxygen demand	300
Cadmium (total) <i>amended 142/2011</i>	0.7
Chlordane (cis plus trans isomers)	0.1
Chromium (hexavalent)	2.0
Chromium (total)	4.0
Cobalt (total)	5.0
Copper (total)	2.0
Cyanide (total)	2.0
1,1,2,2 Tetrachloroethane	1.4
1, 2 – dichlorobenzene	0.05
1, 4 – dichlorobenzene	0.08
3, 3 – dichlorobenzidine	0.002
Dichlorodiphenyltrichloroethane (DDT)	0.0001
Cis -1, 2 – dichloroethylene	4.0
Ethyl benzene	0.16
Fluoride	10
Hexachlorobenzene	0.0001
Hexachlorocyclohexane (Lindane)	0.1
Lead (total) <i>amended 142/2011</i>	1.0
Manganese (total)	5.0
Mercury (total)	0.01
Methylene chloride	2.0

SCHEDULE B (continued)
Concentration Limits for Discharges into the Wastewater System

Parameter	Limit (mg/L)
Mirex	0.1
Molybdenum (total)	5.0
Nickel (total) <i>amended 142/2011</i>	2.0
Nitrogen (total)	60
Nonylphenols	0.02
Nonylphenol ethoxylates	0.2
Oil and grease - animal or vegetable - mineral or synthetic	100.0 15.0
Pentachlorophenol (PCP)	0.01
Phenolics (total by 4AAP method)	1.0
pH	Less than 5.5 or greater than 11.0
Phosphorus (total)	10.0
Polychlorinated biphenyls (PCBs) – total	0.001
Polycyclic aromatic hydrocarbons (PAHs) – total	0.005
Selenium (total)	1.0
Silver (total)	5.0
Sulphate (total)	1500
Sulphide <i>amended 142/2011</i>	1.0
Suspended solids (total)	350
Tetrachloroethylene	1.0
Tin (total)	5.0
Titanium (total)	5.0
Toluene <i>amended 142/2011</i>	0.024
Trichloroethylene	0.4
Zinc (total)	2.0
Xylenes (total)	1.4

SCHEDULE C
Substances Prohibited in Discharges to the Land Drainage System

1. blowdown water;
2. E. coli colonies in excess of 200 colonies per 100 mL;
3. direct discharge of floating debris such as leaves, grass clippings, branches, plastic bottles, cans, and other garbage;
4. grease and oils - two or more separate layers of fuel or lubricating oil;
5. greywater;
6. hauled wastewater;
7. hazardous waste, including:
 - (a) explosive waste,
 - (b) flammable liquids,
 - (c) flammable solids,
 - (d) gas (Class 2),
 - (e) infectious or toxic waste,
 - (f) oxidizing substances and organic peroxides,
 - (g) radioactive material;
8. landfill leachate;
9. matter that is likely to:
 - (a) interfere with proper operation of the land drainage system,
 - (b) affect the flow into the land drainage system,
 - (c) damage the land drainage system, or
 - (d) harm any person, animal, property, or vegetation;
10. matter that contravenes a licence or provisional licence issued by the Province of Manitoba concerning the land drainage system or its discharge;

11. matter that has any one of the following characteristics:
 - (a) a pH less than 6.0 or greater than 9.5, or
 - (b) a temperature greater than 40 degrees Celsius;
10. concentrated pesticides;
11. pharmaceutical products, both dispensed and over-the-counter;
12. substances used in or produced from an industrial process.

SCHEDULE D
Limits for Discharges to Land Drainage System
amended 117/2010

Parameter	Limit (mg/L)
Aldrin / dieldrin	0.00008
Ammonia (total)	0.18
Arsenic (total)	0.02
Benzene	0.002
Biochemical oxygen demand	15.0
Di-n-butyl phthalate	0.015
Cadmium (total)	0.008
Chlordane (cis plus trans isomers)	0.04
Chromium (hexavalent)	0.01
Chromium (total)	0.08
Chlorine (total residual)	0.01
Copper (total)	0.04
Cyanide (weak acid dissociable)	0.005
1, 2 - dichlorobenzene	0.0056
1, 4 - dichlorobenzene	0.0068
3, 3 - dichlorobenzidine	0.0008
Dichlorodiphenyltrichloroethane (DDT)	0.00004
Cis - 1, 2 - dichloroethylene	0.0056
Trans -1, 3 - dichloropropylene	0.0056
Ethyl benzene	0.002
Bis (2-ethylhexyl) phthalate	0.0088
Hexachlorobenzene	0.00004
Hexachlorocyclohexane (Lindane)	0.04
Lead (total)	0.08
Manganese	0.2
Mercury (total)	0.0004
Methylene chloride	0.0052

SCHEDULE D (continued)
Limits for Discharges to Land Drainage System

Parameter	Limit (mg/L)
Mirex	0.04
Nickel (total)	0.08
Nonylphenols	0.001
Nonylphenol ethoxylates	0.01
Pentachlorophenol (PCP)	0.002
Phenolics (total by 4AAP method)	0.008
Phosphorus (total)	0.4
Polychlorinated biphenyls (PCBs) – total	0.0004
Polycyclic aromatic hydrocarbons (PAHs) - total	0.002
Selenium (total)	0.02
Silver (total)	0.04
Suspended solids (total)	15.0
1,1,2,2-tetrachloroethane	0.017
Tetrachloroethylene	0.0044
Toluene	0.002
Trichloroethylene	0.0076
Xylenes (total)	0.0044
Zinc (total)	0.04

SCHEDULE E
Business Sectors Required to Prepare Pollution Prevention Plans under Part 11

Pollution Prevention Plan Tier 1

Effective Date January 2012

Metal Processing Companies	NAICS Code *
Primary production of alumina and aluminum	331313
Steel foundries	331514
Prefabricated metal building and component manufacturing	332311
Metal Plating	332810
Other ornamental and architectural metal work manufacturing	332329
Metal tank (heavy gauge) manufacturing	332420
Other metal container manufacturing	332439
Metal valve manufacturing	332910
All other miscellaneous fabricated metal product manufacturing	332999

amended 142/2011

* NAICS Code as used in this schedule refers to North American Industrial Classification System

SCHEDULE E (continued)
Business Sectors Required to Prepare Pollution Prevention Plans under Part 11

Pollution Prevention Plan Tier 1 (b)

Effective Date ***January 2013***

<i>Metal Processing Companies</i>	<i>NAICS Code *</i>
<i>Iron and Steel Mills and Ferro-Alloy Manufacturing</i>	<i>331110</i>
<i>Iron and Steel Pipes and Tubes Manufacturing from Purchased Steel</i>	<i>331210</i>
<i>Non-Ferrous Metal (except Aluminum) Smelting and Refining</i>	<i>331410</i>
<i>Iron Foundries</i>	<i>331511</i>
<i>Non-Ferrous Die-Casting Foundries</i>	<i>331523</i>
<i>Non-Ferrous Foundries (except Die-casting)</i>	<i>331529</i>
<i>Forging</i>	<i>332113</i>
<i>Stamping</i>	<i>332118</i>
<i>Cutlery and Hand Tool Manufacturing</i>	<i>332210</i>
<i>Concrete Reinforcing Bar Manufacturing</i>	<i>332314</i>
<i>Other Plate Work and Fabricated structural metal manufacturing</i>	<i>332319</i>
<i>Metal Window and Door Manufacturing</i>	<i>332321</i>
<i>Power Boiler and Heat Exchange Manufacturing</i>	<i>332410</i>
<i>Metal Tank (Heavy Gauge) Manufacturing</i>	<i>332420</i>
<i>Metal Can Manufacturing</i>	<i>332431</i>

<i>Other Metal Container Manufacturing</i>	<i>332439</i>
<i>Cold-Rolled Steel Shape Manufacturing</i>	<i>331211</i>
<i>Steel Wire Drawing</i>	<i>331222</i>
<i>Aluminum Rolling, Drawing, Extruding and Alloying</i>	<i>331317</i>
<i>Copper Rolling, Drawing, Extruding and Alloying</i>	<i>331420</i>
<i>Non-Ferrous Metal (except Copper and Aluminum) Rolling, Drawing, Extruding and Alloying</i>	<i>331490</i>
<i>Hardware Manufacturing</i>	<i>332510</i>
<i>Spring (Heavy Gauge) Manufacturing</i>	<i>332611</i>
<i>Other Fabricated Wire Product Manufacturing</i>	<i>332619</i>
<i>Machine Shops</i>	<i>332710</i>
<i>Turned Product and Screw, Nut and Bolt Manufacturing</i>	<i>332720</i>
<i>Ball and Roller Bearing Manufacturing</i>	<i>332991</i>

added 142/2011

Pollution Prevention Plan Tier 2**Effective Date July 1, 2013**

Paper Manufacturing	NAICS Code *
Mechanical Pulp Mills	322111
Chemical Pulp Mills	322112
Paper (except Newsprint) Mills	322121
Newsprint Mills	322122
Paperboard Mills	322130
Corrugated and Solid Fibre Box Manufacturing	322211
Folding Paperboard Box Manufacturing	322212
Other Paperboard Container Manufacturing	322219
Paper Bag and Coated and Treated Paper Manufacturing	322220
Stationery Product Manufacturing	322230
Sanitary Paper Product Manufacturing	322291
All Other Converted Paper Product Manufacturing	322299

<i>Petroleum and Coal Product Manufacturing</i>	<i>NAICS Code *</i>
Petroleum Refineries	324110
Asphalt Paving Mixture and Block Manufacturing	324121
Asphalt Shingle and Coating Material Manufacturing	324122
Other Petroleum and Coal Product Manufacturing	324190

<i>Chemical Manufacturing</i>	<i>NAICS Code *</i>
Petrochemical Manufacturing	325110
Industrial Gas Manufacturing	325110
Synthetic Dye and Pigment Manufacturing	325130
Alkali and Chlorine Manufacturing	325181
All Other Basic Inorganic Chemical Manufacturing	325189
Other Basic Organic Chemical Manufacturing	325190
Soap and Cleaning Compound Manufacturing	325610
Toilet Preparation Manufacturing	325620
Paint and Coating Manufacturing	325510
Adhesive Manufacturing	325520
Resin and Synthetic Rubber Manufacturing	325210
Artificial and Synthetic Fibres and Filaments Manufacturing	325220

Printing Ink Manufacturing	325910
Explosives Manufacturing	325920
Custom Compounding of Purchased Resins	325991
All Other Miscellaneous Chemical Product Manufacturing	325999
Chemical Fertilizer (except Potash) Manufacturing	325313
Mixed Fertilizer Manufacturing	325314
Pesticide and Other Agricultural Chemical Manufacturing	325320

<i>Printing and Related Support Activities</i>	<i>NAICS Code *</i>
Quick Printing	323114
Digital Printing	323115
Manifold Business Forms Printing	323116
Other Printing	323119
Support Activities for Printing	323120

<i>Misc. Industries</i>	<i>NAICS Code *</i>
Leather and Hide Tanning and Finishing	316110
Battery Manufacturing	335910
Pharmaceutical and Medicine Manufacturing	325410

added 91/2012

Pollution Prevention Plan Tier 3**Effective Date July 2014**

<i>Textile and Fabric Manufacturing</i>	<i>NAICS Code *</i>
Textile and fabric finishing	313310
Fabric coating	313320
Linen and uniform supply	812330

<i>Cement and Concrete Product Manufacturing</i>	<i>NAICS Code *</i>
Cement Manufacturing	327310
Ready-mix concrete manufacturing	327320
Concrete pipe, brick and block manufacturing	327330
Other concrete product manufacturing	327390

<i>Semiconductor and Other Electronic Component Manufacturing</i>	<i>NAICS Code *</i>
Semiconductor and other electronic component manufacturing	334410

<i>Jewellery and Silverware Manufacturing</i>	<i>NAICS Code *</i>
Jewellery and silverware manufacturing	339910

<i>Testing Laboratories</i>	<i>NAICS</i>

	Code *
Testing laboratories	541380

Medical and Diagnostic Laboratories	NAICS Code *
Medical and Diagnostic Laboratories	621510

Funeral Homes	NAICS Code *
Funeral Homes	812210

Dry Cleaning and Laundry Services	NAICS Code *
Dry Cleaning and Laundry Services (except coin-operated)	812320

Photo Finishing Services	NAICS Code *
Photo Finishing Laboratories (except one-hour)	812921
One Hour Photo Finishing	812922

Waste Treatment and Disposal	NAICS Code *
Waste Treatment and Disposal	562210

Food and Beverage Manufacturing	NAICS Code *
Dog and Cat Food Manufacturing	311111

Other Animal Food Manufacturing	311119
Flour Milling	311211
Rice Milling and Malt Manufacturing	311214
Wet Corn Milling	311221
Oilseed Processing	311224
Fat and Oil Refining and Blending	311225
Breakfast Cereal Manufacturing	311230
Sugar Manufacturing	311310
Non-chocolate Confectionery Manufacturing	311340
Chocolate and Chocolate confectionary Manufacturing from Cacao Beans	311351
Confectionary Manufacturing from Purchased Chocolate	311352
Frozen Food Manufacturing	311410
Fruit and Vegetable Canning, Pickling, and Drying	311420
Fluid Milk Manufacturing	311511
Butter, Cheese, and Dry and Condensed Dairy Product Manufacturing	311515
Ice Cream and Frozen Dessert Manufacturing	311520
Animal (except poultry) slaughtering	311611
Rendering and Meat Processing from Carcasses	311614
Poultry Processing	311615
Seafood Product Preparation and Packaging	311710
Retail Bakeries	311811

Commercial Bakeries and Frozen Bakery Product Manufacturing	<i>311814</i>
Cookie and Cracker Manufacturing	<i>311821</i>
Flour Mixes, Dough, and Pasta Manufacturing from Purchased Flour	<i>311824</i>
Tortilla Manufacturing	<i>311830</i>
Roasted Nut and Peanut Butter Manufacturing	<i>311911</i>
Other Snack Food Manufacturing	<i>311919</i>
Coffee and Tea Manufacturing	<i>311920</i>
Flavouring Syrup and Concentrate Manufacturing	<i>311930</i>
Seasoning and Dressing Manufacturing	<i>311940</i>
All Other Food Manufacturing	<i>311990</i>
Soft Drink and Ice Manufacturing	<i>312110</i>
Breweries	<i>312120</i>
Wineries	<i>312130</i>
Distilleries	<i>312140</i>

added 87/2013

Pollution Prevention Plan Tier 4**Effective Date****January 1, 2018**

<i>Automotive Repair and Maintenance</i>	<i>NAICS Code *</i>
General automotive repair	811111
Automotive exhaust system repair	811112
Other automotive mechanical and electrical repair and maintenance	811119
Automotive body, paint and interior repair and maintenance	811121
Automotive glass replacement shops	811122
Car washes	811192
All other automotive repair and maintenance	811199

<i>Transportation Equipment Manufacturing</i>	<i>NAICS Code *</i>
Automobile and light-duty motor vehicle manufacturing	336110
Heavy-duty truck manufacturing	336120
Motor vehicle body manufacturing	336211
Truck trailer manufacturing	336212
Motor home, travel trailer and camper manufacturing	336215

Motor vehicle gasoline engine and engine parts manufacturing	336310
Motor vehicle electrical and electronic equipment manufacturing	336320
Motor vehicle steering and suspension components (except spring) manufacturing	336330
Motor vehicle brake system manufacturing	336340
Motor vehicle transmission and power train parts manufacturing	336350
Motor vehicle seating and interior trim manufacturing	336360
Motor vehicle metal stamping	336370
Other motor vehicle parts manufacturing	336390
Aerospace product and parts manufacturing	336410
Railroad rolling stock manufacturing	336510
Ship building and repairing	336611
Boat building	336612
Other transportation equipment manufacturing	336990

Gas Stations	NAICS Code *
Gasoline stations with convenience stores	447110

Other gasoline stations	447190
-------------------------	--------

<i>Miscellaneous Industries</i>	<i>NAICS Code *</i>
Commercial screen printing	323113
Mushroom production	111411

added 46/2017

Pollution Prevention Plan Tier 5**Effective Date****January 1, 2019**

Wood Product Manufacturing	NAICS Code *
Sawmills (except shingle and shake mills)	321111
Shingle and shake mills	321112
Wood preservation	321114
Hardwood veneer and plywood mills	321211
Softwood veneer and plywood mills	321212
Structural wood product manufacturing	321215
Particle board and fibreboard mills	321216
Waferboard mills	321217
Wood window and door manufacturing	321211
Other millwork	321919
Wood container and pallet manufacturing	321920
Manufactured (mobile) home manufacturing	321991
Prefabricated wood building manufacturing	321992
All other miscellaneous wood product manufacturing	321999

<i>Plastics and Rubber Products Manufacturing</i>	<i>NAICS Code *</i>
Plastic bag and pouch manufacturing	326111
Plastic film and sheet manufacturing	326114
Unlaminated plastic profile shape manufacturing	326121
Plastic pipe and pipe fitting manufacturing	326121
Laminated plastic plate, sheet (except packaging), and shape manufacturing	326130
Polystyrene foam product manufacturing	326140
Urethane and other foam product (except polystyrene) manufacturing	326150
Plastic bottle manufacturing	326160
Plastic plumbing fixture manufacturing	326191
Motor vehicle plastic parts manufacturing	326193
Plastic window and door manufacturing	326196
All other plastic product manufacturing	326198
Tire manufacturing	326210
Rubber and plastic hose and belting manufacturing	326220
Other rubber product manufacturing	326290

<i>Miscellaneous Industries</i>	<i>NAICS Code *</i>
Petroleum and petroleum products merchant wholesalers	412110

added 46/2017